

EAST
1/23/04

L Number	Hits	Search Text	DB
8	57	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and (trailer or towed adj vehicle)	USPAT; US-PGPUB
9	23	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and 303/7.ccls.	USPAT; US-PGPUB
10	2	(brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and 303/7.ccls.) not (brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and (trailer or towed adj vehicle))	USPAT; US-PGPUB
11	43	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage same electric\$6 adj2 brak\$4	USPAT; US-PGPUB
12	5	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage same electric\$6 adj2 brak\$4 same (trailer or towed)	USPAT; US-PGPUB
13	0	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage same electric\$6 adj2 brak\$4 same intensity	USPAT; US-PGPUB
14	60	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and (trailer or towed adj vehicle or 303/7,123.ccls.)	USPAT; US-PGPUB
15	6	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage and (trailer or towed adj vehicle or 303/7,123.ccls.) and master adj cylinder	USPAT; US-PGPUB
16	28	brak\$4 same (standard or normal or conventional or usual or regular) same (boost\$4 or increas\$4 or greater or higher or bigger or above) same voltage same master adj cylinder	USPAT; US-PGPUB
17	25	(voltage or current) same master adj cylinder same electric\$6 adj2 brak\$4	USPAT; US-PGPUB
18	29	(voltage or current) same master adj2 cylinder same electric\$6 adj2 brak\$4	USPAT; US-PGPUB
19	4	((voltage or current) same master adj2 cylinder same electric\$6 adj2 brak\$4) not ((voltage or current) same master adj cylinder same electric\$6 adj2 brak\$4)	USPAT; US-PGPUB
20	20	(voltage or current) same master adj2 cylinder same electric\$6 adj2 brak\$4	USOCR
21	7	(US-3503652-\$ or US-3497266-\$ or US-3486799-\$ or US-3423135-\$ or US-RE25968-\$ or US-3034598-\$ or US-2648413-\$).did.	USOCR
23	149	(voltage or current) same electric\$6 adj2 brak\$4 same (trailer or towed adj vehicle)	USPAT; US-PGPUB; EPO; JPO; DERWENT USOCR
22	54	(voltage or current) same electric\$6 adj2 brak\$4 same (trailer or towed adj vehicle)	
24	30	(voltage or current) same electric\$6 adj2 brak\$4 same (trailer or towed adj vehicle) and master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	9	(voltage or current) same electric\$6 adj2 brak\$4 same (trailer or towed adj vehicle) same master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	10	(voltage or current) same electric\$6 adj2 brak\$4 same (trailer or towed adj vehicle) same master adj2 cylinder	USOCR
-	1197	voltage near2 booster	USPAT; US-PGPUB
-	40726	voltage near2 amplifier	USPAT; US-PGPUB

-	41725	(voltage near2 booster) or (voltage near2 amplifier)	USPAT; US-PGPUB	2
-	194	((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.)	USPAT; US-PGPUB	2
-	24	(((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.)) and (towing or towed or trailer)	USPAT; US-PGPUB	2
-	0	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	43	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	0	(BARNETT near2 WILLIAM) and provisional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	50494	provisional adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	6	(provisional adj application) and 303/113.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	68050	(303/\$.ccls. or 188/\$.ccls.)	USPAT; US-PGPUB	2
-	52	((303/\$.ccls. or 188/\$.ccls.)) and "24" adj volt	USPAT; US-PGPUB	2
-	6	((303/\$.ccls. or 188/\$.ccls.)) and ("24" adj volt) same ("12" adj volt)	USPAT; US-PGPUB	2
-	0	4938542.URPN.	USPAT	2
-	4	("Re30550" "2867294" "4052695" "4524311").PN.	USPAT	2
-	1	5725075.URPN.	USPAT	2
-	5	("3774152" "4730181" "4812807" "5376918" "5381135").PN.	USPAT	2
-	1	trailer same brak\$4 and undervoltage	USPAT; US-PGPUB	2
-	0	trailer same brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB	2
-	0	brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB	2
-	231	brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)	USPAT; US-PGPUB	2
-	2	"231" and tractortrailer	USPAT; US-PGPUB	2
-	0	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractortrailer	USPAT; US-PGPUB	2
-	2	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractor adj trailer	USPAT; US-PGPUB	2
-	20	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and ((303/\$.ccls. or 188/\$.ccls.))	USPAT; US-PGPUB	2
-	851	voltage adj booster	USPAT; US-PGPUB	2
-	1762	voltage adj booster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	333	voltage adj booster	EPO; JPO	20
-	1	voltage adj booster same brak\$4	EPO; JPO	20
-	1	"voltage booster" same brak\$4	EPO; JPO	20

-	3673	additional adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	0	(additional adj voltage) same brak43	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	24	(additional adj voltage) same brak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	801	(voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4	USPAT; US-PGPUB	2
-	268	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)	USPAT; US-PGPUB	2
-	47	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)) and (towing or towed or trailer or tractor)	USPAT; US-PGPUB	2
-	28	(303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.) and thumb same brak\$4 same switch	USPAT; US-PGPUB	2
-	1	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	36	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	31	BARNETT.in. and brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	4	BARNETT.in. and brak\$4	DERWENT	2
-	68	303/7.ccls. and master adj cylinder	USOCR	2
-	68	303/7.ccls. and master adj2 cylinder	USOCR	2
-	26	3350142.URPN.	USPAT	2
-	0	303/7.ccls. and master adj2 cylinder and display	USOCR	2
-	69	303/7.ccls. and master adj cylinder	USPAT; US-PGPUB	2
-	4	303/7.ccls. and master adj cylinder and display	USPAT; US-PGPUB	2
-	1	188/3r,3h.ccls. and master adj cylinder and display	USPAT; US-PGPUB	2
-	37	188/3r,3h.ccls. and master adj cylinder	USPAT; US-PGPUB	2
-	61	188/112a,112r.ccls. and master adj cylinder	USPAT; US-PGPUB	2
-	72	188/112a,112r.ccls. and master adj cylinder	USOCR	2
-	0	303/dig.3..ccls. and master adj cylinder	USPAT; US-PGPUB	2
-	59	303/dig.3.ccls. and master adj cylinder	USPAT; US-PGPUB	2
-	4	303/dig.3.ccls. and master adj cylinder and (trailer or tractor or towed)	USPAT; US-PGPUB	2
-	2	303/dig.3.ccls. and master adj cylinder and (trailer or tractor or towed) and voltage	USPAT; US-PGPUB	20
-	3	master adj2 cylinder same (trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	USPAT; US-PGPUB	20

-	17	("3887238" "4756391" "4895227" "5148894" "5302008" "5348123" "5439278" "5484193" "5667283" "5788341" "5826953" "5876100" "6024422" "6036282" "6079792" "6135575" "6152544").PN.	USPAT	20
-	12	(trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	USPAT;	20
-	1	master adj2 cylinder same (trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	US-PGPUB EPO; JPO; DERWENT	20
-	1	2001-355832.NRAN.	DERWENT	20
-	5	((("6135575") or ("5348123") or ("4414630") or ("5085489") or ("5549362"))).PN.	USPAT; US-PGPUB	20
-	0	6068352.pn. and master adj cylinder	USPAT; US-PGPUB	20
-	1	6068352.pn.	USPAT; US-PGPUB	20
-	4	((("4033630") or ("3350142") or ("3790807") or ("3823985"))).PN.	USPAT; US-PGPUB	20
-	1	3981542.pn. and master	USPAT; US-PGPUB	20
-	1	3981542.pn. and master adj cylinder	USPAT; US-PGPUB	20
-	0	4033630.pn. and display	USPAT; US-PGPUB	20
-	0	3823985.pn. and display	USPAT; US-PGPUB	20
-	26	trailer same cpu same brak\$4	USPAT; US-PGPUB	20
-	37	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	2	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	3	(BARNETT near2 WILLIAM) and brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	0	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed or trailer) near3 vehicle same CPU	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	979	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed or trailer) near3 vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	532	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	0	(brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same cpu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	97	(brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20

-	21	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) and master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	11	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	32	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	6	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same voltage same pressure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	20
-	3	((("6416138") or ("6068352") or ("6179390"))).PN.	USPAT; US-PGPUB	20
-	2	de near2 "3430981"	DERWENT	2
-	1	1986-069940.NRAN.	DERWENT	2
-	1090	barnett.in.	USPAT; US-PGPUB	2
-	1	barnett.in. and 303/7.ccls.	USPAT; US-PGPUB	2
-	0	(barnett.in. and 303/7.ccls.) and digital\$5	USPAT; US-PGPUB	2
-	436739	digital\$5	USPAT; US-PGPUB	2
-	30033	digital\$5 same cpu	USPAT; US-PGPUB	2
-	1	digital\$5 same cpu and 303/7.ccls.	USPAT; US-PGPUB	2
-	34210	digital\$5 same cpu brak\$4 same (tow or towing or tractor)	USPAT; US-PGPUB	2
-	0	digital\$5 same cpu same brak\$4 same (tow or towing or tractor)	USPAT; US-PGPUB	2
-	186	digital\$5 same cpu same brak\$4	USPAT; US-PGPUB	2
-	133	analog same cpu same brak\$4	USPAT; US-PGPUB	2
-	32	(analog same cpu same brak\$4) and 303/\$.ccls.	USPAT; US-PGPUB	2
-	46	(digital\$5 same cpu same brak\$4) and 303/\$.ccls.	USPAT; US-PGPUB	2
-	110	analog same cpu same brak\$4 same digit\$4	USPAT; US-PGPUB	2
-	28	(analog same cpu same brak\$4 same digit\$4) and 303/\$.ccls.	USPAT; US-PGPUB	20
-	11	analog same cpu same brak\$4 not digit\$4	USPAT; US-PGPUB	20
-	12	analog same (ecu or cpu) same brak\$4 not digit\$4	USPAT; US-PGPUB	20
-	1	(analog same (ecu or cpu) same brak\$4 not digit\$4) not (analog same cpu same brak\$4 not digit\$4)	USPAT; US-PGPUB	20
-	0	analog same cpu same brak\$4 same trailer	USPAT; US-PGPUB	20
-	2	analog same cpu same brak\$4 same tow\$4	USPAT; US-PGPUB	20
-	540	voltage same brak\$4 same "12" same "24"	USPAT; US-PGPUB	20
-	25	voltage same brak\$4 same ("12" near2 volt\$4) same ("24" near2 volt\$4)	USPAT; US-PGPUB	20
-	1	voltage near3 standard same brak\$4 same boost\$4	USPAT; US-PGPUB	20

-	0	voltage near3 standard same brak\$4 same increased near3 voltage	USPAT; US-PGPUB	21
-	38	voltage near3 standard same brak\$4	USPAT; US-PGPUB	21
-	33	(voltage near3 standard or "12" adj volt) same brak\$4 same (raise or rais\$5 or increas\$6 or above or exceeds) near4 (volt or voltage)	USPAT; US-PGPUB	21
-	39	(voltage near3 standard or ("12" adj volt)) same (brake or braking) same (raise or raise or raising or increase or increasing or above or exceeds) near4 (volt or voltage)	USOCR	21
-	261	(voltage near3 standard or ("12" adj volt)) same (brake or braking)	USOCR	21
-	11	((voltage near3 standard or ("12" adj volt)) same (brake or braking)) and (tractor or tow or towing) same (towed or trailer)	USOCR	21
-	20	(tracor or tow or towing) same (trailer or towed) same (brake or braking) same voltage	USOCR	21
-	0	(tracor or tow or towing) same (trailer or towed) same (brake or braking) same cpu	USOCR	21
-	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same cpu	USOCR	21
-	36	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same voltage	USOCR	2
-	1	(US-6068352-\$.did.	USPAT	2
-	7	(US-3486799-\$ or US-3467830-\$ or US-3398992-\$ or US-3304531-\$ or US-3048979-\$ or US-3048976-\$ or US-3034598-\$.did.	USOCR	2
-	4	((US-3486799-\$ or US-3467830-\$ or US-3398992-\$ or US-3304531-\$ or US-3048979-\$ or US-3048976-\$ or US-3034598-\$.did.) and master same cylinder	USOCR	2
-	0	6068352.pn. and master same cylinder	USPAT	2
-	280	(voltage near3 normal) same (brake or braking)	USOCR	2
-	1	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 normal)	USOCR	2
-	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 operational)	USOCR	2
-	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 conventional)	USOCR	21
-	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 conventional)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	17	(tractor or tow or towing) same (trailer or towed) same (brake or braking) and (voltage near3 (standard or conventional))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	1	(tractor or tow or towing) same (trailer or towed) same (brake or braking) and (voltage near3 (standard or conventional))	USOCR	2
-	1	voltage near2 higher same (tow or towing) same (trailer or towed) same vehicle same brak\$4	USPAT; US-PGPUB	2
-	1	voltage near2 booster same (tow or towing) same (trailer or towed) same vehicle same brak\$4	USPAT; US-PGPUB	21
-	1	"20020074857"	USPAT; US-PGPUB	21
-	3	((("6416138") or ("6068352") or ("6179390"))).PN.	USPAT; US-PGPUB	21
-	1	barnett.in. and 303/7.ccls.	USPAT; US-PGPUB	21
-	1	barnett.in. and 303/7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	20
-	67	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	201

-	2058	voltage adj booster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	3	voltage adj booster same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	0	voltage near2 higher same (tow or towing) same (trailer or towed)	USPAT; US-PGPUB	2
-	103	same vehicle same brak\$4 same master adj cylinder	USPAT; US-PGPUB	2
-	0	(tow or towing) same (trailer or towed) same vehicle same brak\$4 same master adj cylinder brakesmart	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	0	brake adj smart	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	4	intelligent adj brak\$4 adj control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2
-	7	BARNETT.in. and brak\$4 same trailer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	1	2003-418157.NRAN.	DERWENT	2
-	14	"3430981"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2
-	1	1986-069940.NRAN.	DERWENT	2
-	2	(("6068352") or ("6179390")).PN.	USPAT; US-PGPUB	2
-	49	("2228631" "3519805" "3601794" "3738710" "3780832" "3897979" "3908782" "3909075" "3953084" "3955652" "3967863" "3981542" "3981544" "4030756" "4042810" "4043608" "4050550" "4084859" "4122434" "4277895" "4295687" "4386427" "4398252" "4402047" "4550372" "4587655" "4660418" "4721344" "4722576" "4726627" "4836616" "4849655" "4850656" "4856850" "5032821" "5044697" "5050937" "5050940" "5058960" "5139315" "5149176" "5255962" "5333948" "5352028" "5606308" "5615930" "5620236" "5741048" "5785393").PN.	USPAT; USPAT	2
-	1	(voltage near2 booster) and 303/7.ccls.	USPAT; US-PGPUB	20
-	792	CASHION.xp.	USPAT; US-PGPUB	20
-	135	CASHION.xa.	USPAT; US-PGPUB	20
-	8	voltage same master adj cylinder same trailer	USPAT; US-PGPUB	20
-	31	voltage and master adj cylinder same trailer	USPAT; US-PGPUB	20
-	396	master adj cylinder and trailer and brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	20
-	61	master adj cylinder and trailer and brak\$4 and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT	200

-	37	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	2	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3	(BARNETT near2 WILLIAM) and brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed or trailer) near3 vehicle same CPU	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	979	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed or trailer) near3 vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	532	brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	(brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same cpu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	97	(brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	21	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) and master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	11	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same master adj2 cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	32	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	6	((brak\$4 same (tow or towing) near3 (vehicle or truck) same (towed near3 (trailer or vehicle))) same (controller or control adj unit or microprocessor or microcontoller or microcontrol)) same voltage same pressure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3	((("6416138") or ("6068352") or ("6179390"))).PN.	USPAT; US-PGPUB
-	2	de near2 "3430981"	DERWENT
-	1	1986-069940.NRAN.	DERWENT

[illegible]

-	6	((303/\$.ccls. or 188/\$.ccls.)) and ("24" adj volt) same ("12" adj volt)	USPAT; US-PGPUB
-	0	4938542.URPN.	USPAT
-	4	("Re30550" "2867294" "4052695" "4524311").PN.	USPAT
-	1	5725075.URPN.	USPAT
-	5	("3774152" "4730181" "4812807" "5376918" "5381135").PN.	USPAT
-	1	trailer same brak\$4 and undervoltage	USPAT; US-PGPUB
-	0	trailer same brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB
-	0	brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB
-	231	brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)	USPAT; US-PGPUB
-	2	"231" and tractortrailer	USPAT; US-PGPUB
-	0	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractortrailer	USPAT; US-PGPUB
-	2	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractor adj trailer	USPAT; US-PGPUB
-	20	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and ((303/\$.ccls. or 188/\$.ccls.))	USPAT; US-PGPUB
-	851	voltage adj booster	USPAT; US-PGPUB
-	1762	voltage adj booster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
-	333	voltage adj booster	EPO; JPO
-	1	voltage adj booster same brak\$4	EPO; JPO
-	1	"voltage booster" same brak\$4	EPO; JPO
-	3673	additional adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	0	(additional adj voltage) same brak43	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	24	(additional adj voltage) same brak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	801	(voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4	USPAT; US-PGPUB
-	268	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)	USPAT; US-PGPUB
-	47	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)) and (towing or towed or trailer or tractor)	USPAT; US-PGPUB
-	28	(303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.) and thumb same brak\$4 same switch	USPAT; US-PGPUB
-	1	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

34	7	(US-3486799-\$ or US-3467830-\$ or US-3398992-\$ or US-3304531-\$ or US-3048979-\$ or US-3048976-\$ or US-3034598-\$).did.	USOCR
35	4	((US-3486799-\$ or US-3467830-\$ or US-3398992-\$ or US-3304531-\$ or US-3048979-\$ or US-3048976-\$ or US-3034598-\$).did.) and master same cylinder	USOCR
36	0	6068352.pn. and master same cylinder	USPAT
37	280	(voltage near3 normal) same (brake or braking)	USOCR
38	1	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 normal)	USOCR
39	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 operational)	USOCR
40	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 conventional)	USOCR
41	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same (voltage near3 conventional)	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	17	(tractor or tow or towing) same (trailer or towed) same (brake or braking) and (voltage near3 (standard or conventional))	USPAT; US-PGPUB; EPO; JPO; DERWENT
43	1	(tractor or tow or towing) same (trailer or towed) same (brake or braking) and (voltage near3 (standard or conventional))	USOCR
-	1197	voltage near2 booster	USPAT; US-PGPUB
-	40726	voltage near2 amplifier	USPAT; US-PGPUB
-	41725	(voltage near2 booster) or (voltage near2 amplifier)	USPAT; US-PGPUB
-	194	(((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.))	USPAT; US-PGPUB
-	24	(((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.)) and (towing or towed or trailer)	USPAT; US-PGPUB
-	0	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	43	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	(BARNETT near2 WILLIAM) and provisional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	50494	provisional adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	6	(provisional adj application) and 303/113.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	68050	(303/\$.ccls. or 188/\$.ccls.)	USPAT; US-PGPUB
-	52	(((303/\$.ccls. or 188/\$.ccls.)) and "24" adj volt	USPAT; US-PGPUB

EATS 1

L Number	Hits	Search Text	DB
1	1090	barnett.in.	USPAT; US-PGPUB
2	1	barnett.in. and 303/7.ccls.	USPAT; US-PGPUB
3	0	(barnett.in. and 303/7.ccls.) and digital\$5	USPAT; US-PGPUB
4	436739	digital\$5	USPAT; US-PGPUB
5	30033	digital\$5 same cpu	USPAT; US-PGPUB
6	1	digital\$5 same cpu and 303/7.ccls.	USPAT; US-PGPUB
7	34210	digital\$5 same cpu brak\$4 same (tow or towing or tractor)	USPAT; US-PGPUB
8	0	digital\$5 same cpu same brak\$4 same (tow or towing or tractor)	USPAT; US-PGPUB
9	186	digital\$5 same cpu same brak\$4	USPAT; US-PGPUB
10	133	analog same cpu same brak\$4	USPAT; US-PGPUB
11	32	(analog same cpu same brak\$4) and 303/\$.ccls.	USPAT; US-PGPUB
12	46	(digital\$5 same cpu same brak\$4) and 303/\$.ccls.	USPAT; US-PGPUB
13	110	analog same cpu same brak\$4 same digit\$4	USPAT; US-PGPUB
14	28	(analog same cpu same brak\$4 same digit\$4) and 303/\$.ccls.	USPAT; US-PGPUB
15	11	analog same cpu same brak\$4 not digit\$4	USPAT; US-PGPUB
16	12	analog same (ecu or cpu) same brak\$4 not digit\$4	USPAT; US-PGPUB
17	1	(analog same (ecu or cpu) same brak\$4 not digit\$4) not (analog same cpu same brak\$4 not digit\$4)	USPAT; US-PGPUB
18	0	analog same cpu same brak\$4 same trailer	USPAT; US-PGPUB
19	2	analog same cpu same brak\$4 same tow\$4	USPAT; US-PGPUB
20	540	voltage same brak\$4 same "12" same "24"	USPAT; US-PGPUB
21	25	voltage same brak\$4 same ("12" near2 volt\$4) same ("24" near2 volt\$4)	USPAT; US-PGPUB
23	1	voltage near3 standard same brak\$4 same boost\$4	USPAT; US-PGPUB
24	0	voltage near3 standard same brak\$4 same increased near3 voltage	USPAT; US-PGPUB
22	38	voltage near3 standard same brak\$4	USPAT; US-PGPUB
25	33	(voltage near3 standard or "12" adj volt) same brak\$4 same (raise or rais\$5 or increas\$6 or above or exceeds) near4 (volt or voltage)	USPAT; US-PGPUB
26	39	(voltage near3 standard or ("12" adj volt)) same (brake or braking) same (raise or raise or raising or increase or increasing or above or exceeds) near4 (volt or voltage)	USOCR
27	261	(voltage near3 standard or ("12" adj volt)) same (brake or braking)	USOCR
28	11	((voltage near3 standard or ("12" adj volt)) same (brake or braking)) and (tractor or tow or towing) same (towed or trailer)	USOCR
29	20	(tracor or tow or towing) same (trailer or towed) same (brake or braking) same voltage	USOCR
30	0	(tracor or tow or towing) same (trailer or towed) same (brake or braking) same cpu	USOCR
32	0	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same cpu	USOCR
31	36	(tractor or tow or towing) same (trailer or towed) same (brake or braking) same voltage	USOCR
33	1	(US-6068352-\$).did.	USPAT

-	50494	provisional adj application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	6	(provisional adj application) and 303/113.4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	68050	(303/\$.ccls. or 188/\$.ccls.)	USPAT; US-PGPUB
-	52	((303/\$.ccls. or 188/\$.ccls.)) and "24" adj volt	USPAT; US-PGPUB
-	6	((303/\$.ccls. or 188/\$.ccls.)) and ("24" adj volt) same ("12" adj volt)	USPAT; US-PGPUB
-	0	4938542.URPN.	USPAT
-	4	("Re30550" "2867294" "4052695" "4524311").PN.	USPAT
-	1	5725075.URPN.	USPAT
-	5	("3774152" "4730181" "4812807" "5376918" "5381135").PN.	USPAT
-	1	trailer same brak\$4 and undervoltage	USPAT; US-PGPUB
-	0	trailer same brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB
-	0	brak\$4 and undervoltage same increas\$3 adj2 voltage	USPAT; US-PGPUB
-	231	brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)	USPAT; US-PGPUB
-	2	"231" and tractortrailer	USPAT; US-PGPUB
-	0	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractortrailer	USPAT; US-PGPUB
-	2	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and tractor adj trailer	USPAT; US-PGPUB
-	20	(brak\$4 and ((low or insufficient) near3 voltage) same (increas\$3 near2 voltage)) and ((303/\$.ccls. or 188/\$.ccls.))	USPAT; US-PGPUB
-	851	voltage adj booster	USPAT; US-PGPUB
-	1762	voltage adj booster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	333	voltage adj booster	EPO; JPO
-	1	voltage adj booster same brak\$4	EPO; JPO
-	1	"voltage booster" same brak\$4	EPO; JPO
-	3673	additional adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	0	(additional adj voltage) same brak43	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	24	(additional adj voltage) same brak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	801	(voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4	USPAT; US-PGPUB
-	268	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)	USPAT; US-PGPUB

- 15 -

L Number	Hits	Search Text	DB
2	68	303/7.ccls. and master adj cylinder	USOCR
3	68	303/7.ccls. and master adj2 cylinder	USOCR
4	26	3350142.URPN.	USPAT
5	0	303/7.ccls. and master adj2 cylinder and display	USOCR
1	69	303/7.ccls. and master adj cylinder	USPAT; US-PGPUB
6	4	303/7.ccls. and master adj cylinder and display	USPAT; US-PGPUB
7	1	188/3r,3h.ccls. and master adj cylinder and display	USPAT; US-PGPUB
8	37	188/3r,3h.ccls. and master adj cylinder	USPAT; US-PGPUB
9	61	188/112a,112r.ccls. and master adj cylinder	USPAT; US-PGPUB
10	72	188/112a,112r.ccls. and master adj cylinder	USOCR
11	0	303/dig.3.ccls. and master adj cylinder	USPAT; US-PGPUB
12	59	303/dig.3.ccls. and master adj cylinder	USPAT; US-PGPUB
13	4	303/dig.3.ccls. and master adj cylinder and (trailer or tractor or towed)	USPAT; US-PGPUB
14	2	303/dig.3.ccls. and master adj cylinder and (trailer or tractor or towed) and voltage	USPAT; US-PGPUB
15	3	master adj2 cylinder same (trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	USPAT; US-PGPUB
16	17	("3887238" "4756391" "4895227" "5148894" "5302008" "5348123" "5439278" "5484193" "5667283" "5788341" "5826953" "5876100" "6024422" "6036282" "6079792" "6135575" "6152544").PN.	USPAT
17	12	(trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	USPAT; US-PGPUB
18	1	master adj2 cylinder same (trailer or tractor or towed) and pressure near2 (transducer or sensor or switch) near4 (master adj2 cylinder)	EPO; JPO; DERWENT
19	1	2001-355832.NRAN.	DERWENT
20	5	((("6135575") or ("5348123") or ("4414630") or ("5085489") or ("5549362"))).PN.	USPAT; US-PGPUB
-	1197	voltage near2 booster	USPAT; US-PGPUB
-	40726	voltage near2 amplifier	USPAT; US-PGPUB
-	41725	(voltage near2 booster) or (voltage near2 amplifier)	USPAT; US-PGPUB
-	194	(((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.))	USPAT; US-PGPUB
-	24	(((voltage near2 booster) or (voltage near2 amplifier)) and (303/\$.ccls. or 188/\$.ccls.)) and (towing or towed or trailer)	USPAT; US-PGPUB
-	0	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
-	43	BARNETT near2 WILLIAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
-	0	(BARNETT near2 WILLIAM) and provisional	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

-	47	((voltage near2 amplifier or voltage near2 amplification or voltage near2 booster or voltage near2 increas\$4) same brak\$4) and (303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.)) and (towing or towed or trailer or tractor)	USPAT; US-PGPUB
-	28	(303/\$.ccls. or 188/\$.ccls. or 280/\$.ccls. or 701/\$.ccls. or 340/\$.ccls.) and thumb same brak\$4 same switch	USPAT; US-PGPUB
-	1	BARNETT near2 WILLIAM adj2 LUNCEFORD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB DERWENT
-	36	BARNETT near2 WILLIAM	
-	31	BARNETT.in. and brak\$4	
-	4	BARNETT.in. and brak\$4	